

International Requirements Engineering Board

Martin Glinz

A Glossary of Requirements Engineering Terminology

Version 1.5 May 2013

With Dictionaries of Terminology in Dutch, French, German, Hungarian, Italian, Polish, Portuguese (Brazil), Spanish and Swedish

Standard Glossary for the Certified Professional for Requirements Engineering (CPRE) Studies and Exam



[✓] Zurich^{UZH} [−] Department of Informatics

University of



Requirements Engineering Research Group



International [®] Requirements Engineering Board

About the Author

Martin Glinz is a full professor of Informatics and head of the Requirements Engineering Research Group at the University of Zurich, Department of Informatics. His interests include requirements and software engineering – in particular, modeling, validation, and quality – and software engineering education.

He received a diploma in Mathematics and a Dr. rer. nat. in Computer Science, both from RWTH Aachen University. Before joining the University of Zurich, he worked in industry for ten years, where he was active in software engineering research, development, training, and consulting.

Martin Glinz has over 25 years of experience in Requirements Engineering, both academic and industrial. He is on the editorial board of the Requirements Engineering journal and chaired the steering committee of the IEEE International Requirements Engineering Conference from 2006-2009.

Terms of Use

Individuals and training providers may use this glossary as a basis for seminars, provided that the copyright is acknowledged and included in the seminar materials. Anyone using this glossary in advertising needs the approval of IREB e.V. in writing for this purpose.

Any individual or group of individuals may use this glossary as basis for articles, books or other derived publications provided the copyright of the author and IREB e.V. as the source and owner of this document is acknowledged in such publications.

© 2011 – 2013 International Requirements Engineering Board IREB e.V. and Martin Glinz

All rights reserved. Making digital or hard copies for personal and educational use is permitted. Any other reproduction, storage in a retrieval system, or transmission in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, is not permitted without the prior written permission of the author or IREB e.V.



International [®] Requirements Engineering Board

Credits

IREB sincerely thanks the members listed below who provided the translations.

Dutch translation by Prof. Dr. Sjaak Brinkkemper, Jan Jaap Cannegieter, Erik van Veenendaal, Dr. Inge van de Weerd and Johan Zandhuis.

French translation by Daniel Lucas-Hirtz and Dr. Camille Salinesi.

Hungarian translation by Dr. Árpád Beszédes, Dr. Péter Burcsi, Dr. Attila Kovács.

Italian translation by Carlo Daffara, Sergio Gregorio, Prof. Luisa Mich.

Polish translation by Bogdan Bereza, Włodzimierz Dąbrowski, Anna Piwońska and Krzysztof Wnuk

Portuguese (Brazil) translation by Martin Tornquist, Paul Tornquist, Paulo Henrique Nannini, Babilla Borine D'Angelo, Jorge Luiz Diaz Pinaya, Vinicius de Moraes, Luciano Adamiak e Osmar Higashi.

Spanish translation by Dr. Xavier Franch, Gustavo Márquez Sosa and Harald Messemer.

Swedish translation by Stefan Eekenulv, Assoc. Prof. Dr. Robert Feldt, Prof. Dr. Tony Gorschek and Prof. Dr. Björn Regnell.

Version History

Version 1.1	May 2011: Initial Document
Version 1.1-1	November 2011: French, Spanish, Portuguese (Brazil) Dictionaries of Terminology added
Version 1.2	May 2012: Dutch Dictionary of Terminology added Version History moved to the top of the document Credits moved to the top of the document
Version 1.3	August 2012: Fixed error in version number Polish and Swedish Dictionaries of Terminology added
Version 1.4	September 2012: Italian Dictionary of Terminology added
Version 1.5	May 2013: Hungarian Dictionary of Terminology added



International [®] Requirements Engineering Board

Table of Contents

Credits	3
Version History	3
Table of Contents	
The IREB Certified Professional for Requirements Engineering (CPRE)	5
Preface	6
Part One: Definitions and Abbreviations	8
Definitions of Terms	8
List of Abbreviations	23
Part Two: Dictionaries	24
English–Dutch Dictionary	24
Dutch–English Dictionary / Nederlands–Engels Woordenlijst	29
English–French Dictionary	34
French–English Dictionary / Dictionnaire Français–Anglais	
English–German Dictionary	44
German–English Dictionary / Begriffswörterbuch Deutsch–Englisch	49
English–Hungarian Dictionary	54
Hungarian–English Dictionary / Magyar–Angol Szótár	59
English–Italian Dictionary	64
Italian–English Dictionary / Dizionario Italiano-Inglese	69
English–Polish Dictionary	74
Polish–English Dictionary / Słownik polsko-angielski	79
English–Portuguese (Brazil) Dictionary	84
Portuguese (Brazil)–English Dictionary / Dicionário Português (Brasil)–Inglês	89
English–Spanish Dictionary	94
Spanish–English Dictionary / Glosario Español–Inglés	99
English–Swedish Dictionary	
Swedish–English Dictionary / Svensk - Engelsk Ordlista	
Sources	
References	



International [®] Requirements Engineering Board

The IREB Certified Professional for Requirements Engineering (CPRE)

In 2007, the International Requirements Engineering Board (IREB e.V.) was founded. It is composed of independent experts who all have a strong background in Requirements Engineering, covering a wide area of domains, including industry, consulting, research, and education. Many of them are known world-wide for their contributions to the field.

The members of the board have created a curriculum for the domain of requirements engineering and have developed a certificate, the Certified Professional for Requirements Engineering (CPRE), that is based on the curriculum. The goal is to establish standardized, high-quality instruction and continuing training in requirements engineering, thereby improving the practice of requirements engineering. The glossary presented in this document has been endorsed by IREB as the standard glossary of terms for the CPRE.

In 2007, the IREB started out very successfully in Germany, Austria, and Switzerland. Since the curriculum has been made available in English, the CPRE is now offered in more and more countries and has become truly international. Translations into Spanish and Portuguese (Brazil) are in progress.

Four main actors are involved in the certification process: the IREB, recognized training providers, certification authorities of the individual countries, and of course the participants in training courses and the examinees.

The IREB creates the curriculum, develops the corresponding examination questions, defines and governs the examination process, authorizes certification authorities to administer examinations, and recognizes training providers whose training courses conform to the curriculum for the Certified Professional for Requirements Engineering exam. In the individual countries, IREB-commissioned certification authorities administer the examinations for the certificate.

Formally, the IREB curriculum is similar to the curricula of other established instruction and continued training standards (e.g., ISTQB Certified Tester) and takes the pertinent standards of ISO and IEEE into consideration. The curriculum for the Foundation Level comprises the essential knowledge of requirements engineering, including requirements elicitation, documentation, validation, and management. The content the IREB certificate covers can be reviewed in the publicly available curriculum. Through its curriculum, the IREB provides a guideline for the amount of material to be covered during training, the training contents, and the time required for achieving the learning goals and carrying out practical exercises. The IREB syllabi are complemented by this glossary of Requirements Engineering terminology and by other, supplementary materials.

All information about the International Requirements Engineering Board (IREB e.V.) and about the Certified Professional for Requirements Engineering certification can be found on the IREB website:

http://www.ireb.org



International [®] Requirements Engineering Board

Preface

When looking for definitions of terms in Requirements Engineering, one can find definitions for almost any term by searching the web. However, such searching requires effort and the quality of the results is unpredictable. Frequently, definitions found in different sources are inconsistent with each other. Existing glossaries in Requirements Engineering textbooks mostly focus on the topics covered in these books. Systematic translations of terminology into major languages other than English are missing completely.

This glossary aims at collecting the existing knowledge on Requirements Engineering terminology and defining the core terminology carefully and consistently. In cases where more than one definition is in use or where terms are defined differently when viewed from different perspectives, multiple definitions or perspectives are included. For terms having both a general meaning and a specific meaning in a Requirements Engineering context, both meanings are defined. Important terms are annotated with hints and additional information. Additionally, all terms are translated into German. Translations into other languages, in particular French and Spanish, are planned for the future.

This glossary complements the textbooks endorsed by the International Requirements Engineering Board (IREB). The definitions in the forthcoming textbook *Requirements Engineering Fundamentals* by Klaus Pohl and Chris Rupp and the definitions in this glossary have been aligned with each other.

The sources I used for defining the terms are listed in the references. I don't cite sources for individual definitions because I deliberately decided not to compile definitions from various existing sources just by copy-paste, but to carefully re-formulate all definitions consistently and according to today's use. Of course this doesn't exclude that some definitions or parts of them have been taken verbatim from one of the referenced sources – I don't intend to re-invent the world. Some definitions are a result of joint work with others. Having been in the field of Requirements Engineering for more than 25 years, another source, for which I can't cite any individual references, is my personal knowledge and experience of how terms are used both in academia and industry. Credits for definitions taken from other sources and for joint work with others are given in the *Sources* Section on page 54.

This is ongoing work. In the current state, 128 terms have been defined, covering the base terminology to a large extent. There are still some gaps with respect to the terminology related to processes, project management, and product management. Special terms, for example of specific techniques for requirements elicitation or conflict resolution, are also still missing. I plan to fill these gaps incrementally in the future.



International [®] Requirements Engineering Board

The glossary consists of two parts: the definitions of terms in English and the dictionaries for other languages. I hope that both learners and professionals in Requirements Engineering will find this structure useful and consider consulting the glossary to be worthwhile.

I want to thank the IREB members, in particular, Karol Frühauf, Colin Hood, Klaus Pohl, Chris Rupp with her Sophist team, and Thorsten Weyer, for their contributions to this glossary and for numerous comments that helped improve its quality. I also gratefully acknowledge the patience of many people who waited for more than one year for this glossary to appear. Most of all, I thank my wife Angelika. Without her love, patience and understanding, most of my professional work, including this one, would not have been possible.

Martin Glinz Zurich, May 2011



International [®] Requirements Engineering Board

Acceptance

Part One: Definitions and Abbreviations

Definitions of Terms

Acceptance The process of assessing whether a \uparrow system satisfies all its ↑ requirements A test that assesses whether a \uparrow system satisfies all its \uparrow requirements. Acceptance test **Activity diagram** A diagram type in \uparrow UML which models the flow of actions in a \uparrow system or in a *component* including data flows and areas of responsibility where necessary. Actor 1. Generally in RE: A person, a \uparrow system or a technical device in the ↑context of a system that interacts with the system. 2. Especially in goal-oriented RE: a person, a \uparrow system or a technical device that may act and process information in order to achieve some ↑goals. Adequacy (of a The degree to which a *requirement* expresses the *stakeholders* true requirement) desires and needs (i.e., those they had actually in mind when stating the requirement). Application Those parts of the real world that are relevant for determining the domain \uparrow context of a \uparrow system. An intermediate or final result of *fsystem* development; for example, a Artifact ↑requirements specification. Attribute A characteristic property of an \uparrow entity. **Baseline** A stable, change-controlled \uparrow configuration of \uparrow artifacts. Baselines serve for *release* planning and release definition as well as for project management purposes such as effort estimation. A \uparrow model describing the behavior of a \uparrow system or \uparrow component, e.g., by **Behavior model** a ↑state machine. Bug \rightarrow Defect



® International Requirements Engineering Board

Cardinality

Cardinality	1. In modeling: The minimum and maximum number of objects in a relationship. In \uparrow UML, the term multiplicity is used for cardinality.
	2. In mathematics: The number of elements in a set.
Change control board	A committee of client and supplier representatives that decides on ↑ change requests.
	Abbreviation: CCB
Change request	In RE: A well-argued request for changing one or more \uparrow baselined \uparrow requirements.
Changeability (of an artifact)	The degree to which an \uparrow artifact enables a required modification of the artifact.
Checking (requirements)	Comprises \uparrow requirements \uparrow validation and checking requirements for qualities such as \uparrow unambiguity or comprehensibility.
	Note that some sources define validation broader and consider the terms <i>checking</i> and <i>validation</i> to be \uparrow synonyms.
Class	Represents a set of objects of the same kind by describing the structure of the objects, the ways they can be manipulated and how they behave.
Class diagram	A diagrammatic representation of a \uparrow class model.
Class model	A model consisting of a set of classes and relationships between them.
Completeness (of requirements)	1. For a single requirement: The degree to which a requirement contains all necessary information
	2. For a requirements specification: The degree to which the specification contains all information which is necessary for developing a system that satisfies the ↑stakeholders' desires and needs.
Compliance	The capability of an \uparrow artifact to adhere to \uparrow standards, regulations, laws, or other formally imposed documents.
	\uparrow Systems frequently need to comply with standards, regulations, and laws constraining the domain where the system is deployed. Such compliance can only be ensured systematically if compliance checking already starts with the \uparrow requirements.
	Page 9 / 116

Ó



International [®] Requirements Engineering Board

Component

Component	1. In general: A delimitable part of a ↑system.
	2. In software architecture: An encapsulated set of coherent objects or ↑classes that jointly provide a service.
	Note: When viewed in isolation, a component is a \uparrow system by itself.
Configuration	A consistent set of logically coherent units. The units are individually identifiable \uparrow artifacts or parts of artifacts (e.g., \uparrow requirements) in at most one version per unit.
Conformity (of requirements)	The degree to which a ↑requirements specification conforms to regulations given in some ↑standard.
Consistency (of requirements)	The degree to which a set of \uparrow requirements is free of contradicting statements.
Constraint	A \uparrow requirement that limits the solution space beyond what is necessary for meeting the given \uparrow functional requirements and \uparrow quality requirements.
Context	1. In general: The network of thoughts and meanings needed for understanding phenomena or utterances.
	2. Especially in RE: The part of a \uparrow system's environment being relevant for understanding the system and its \uparrow requirements.
	Context in the second meaning is also called the \uparrow system context.
Context boundary	Boundary between the ↑context of a ↑system and those parts of the ↑application domain that are irrelevant for the ↑system and its ↑requirements.
•	The context boundary separates the relevant part of the environment of a system to be developed from the irrelevant part, i.e., the part that does not influence the system to be developed and, thus, does not have to be considered during requirements engineering.
Context diagram	1. A diagrammatic representation of a ↑context model.
	2. In [↑] Structured Analysis, the context diagram is the root of the dataflow diagram hierarchy.
Context model	A \uparrow model describing a \uparrow system in its \uparrow context.



International [®] Requirements Engineering Board

Correctness

Correctness	The degree to which the information contained in an \uparrow artifact is provably true.
	In RE, correctness is frequently used as a synonym for \uparrow adequacy.
Customer	A person or organization who receives a product or service. Also see ↑stakeholder.
Customer requirements specification	A coarse description of the required capabilities of a ↑system from the ↑customer's perspective. Usually supplied by the customer.
Dataflow diagram	A diagram modeling the [†] functionality of a [†] system or [†] component by <i>processes</i> (also called <i>activities</i>), <i>data stores</i> and <i>data flows</i> . Incoming data flows trigger processes which then consume the received data, transform them, read/write persistent data held in data stores and then produce new data flows which may be intermediate results that trigger other processes or final results that leave the system.
Decision table	A tabular, systematic representation of a complex decision that depends on multiple criteria.
Defect	A spot in an ↑artifact that is incorrectly described or crafted. Synonym: fault, bug
Domain	A range of relevant things (for some given matter); for example, an ↑application domain.
Effectiveness	The degree to which something actually happens in the way it ought to happen.
	In RE, typically the degree to which a \uparrow system actually enables its \uparrow users to achieve their \uparrow goals as stated in the system's \uparrow requirements.
Efficiency	The degree to which a result is achieved with minimum consumption of resources.
Elicitation (of requirements)	\rightarrow Requirements elicitation
End user	→ User
	Page 11 / 116



International [®] Requirements Engineering Board

Entity

Entity	1. In general: an element or set of elements that may stand for any conceivable item, e.g., a ↑system, a part of reality, a thing, an organization, a process, etc.
	2. In entity-relationship-modeling: an individual object which has an identity and does not depend on another object.
Entity- relationship diagram	A graphic representation of an ↑entity-relationship model. Abbreviation: ERD
Entity- relationship model	A \uparrow model of data that are relevant for a \uparrow system, or of the data of an \uparrow application domain. An ERM consists of a set of entity types that are each characterized by \uparrow attributes and linked by relationships.
	Abbreviation: ERM, ER Model
Error	A discrepancy between an observed behavior or result and the specified behavior or result.
	An error typically is a symptom for the existence of a \uparrow fault or \uparrow defect in some \uparrow artifact.
	In colloquial English, there is sometimes no distinction between the notions of error and fault.
Fault	\rightarrow Defect
Fault Tolerance	The capability of a \uparrow system to continue normal operation despite the presence of (hardware or software) \uparrow faults.
	Fault tolerance may be stated as a \uparrow quality requirement.
Feature	A delimitable characteristic of a \uparrow system that provides value for \uparrow stakeholders.
	Normally comprises several \uparrow requirements and is used for communi- cating with stakeholders on a higher level of abstraction and for expressing variable or optional characteristics.
Functional requirement	A \uparrow requirement concerning a result of behavior that shall be provided by a <i>function</i> of a \uparrow system (or of a \uparrow component or service).
Functionality	The capabilities of a \uparrow system as stated by its \uparrow functional requirements



International [®] Requirements Engineering Board

Glossary

Glossary	A collection of definitions of terms that are relevant in some †domain. Frequently, a glossary also contains cross-references, †synonyms, †homonyms, acronyms, and abbreviations.
Goal	A desired state of affairs (that a \uparrow stakeholder wants to achieve).
	Goals describe intentions of \uparrow stakeholders. They may conflict with one another.
Goal model	A \uparrow model that represents the \uparrow goals of something as an ordered structure of sub-goals.
Homonym	A term looking identical to another term, but having a different meaning.
	For example, <i>bill</i> as a bank note and <i>bill</i> as a list (of materials) are homonyms.
Inspection	A kind of \uparrow review where the \uparrow artifact under review is inspected by a group of experts according to given criteria. The experts' findings are then collected and consolidated.
Kind of requirement	There are several kinds of \uparrow requirements. \uparrow Requirements Engineering is primarily concerned with \uparrow system requirements. Beyond that, there are <i>project requirements</i> and <i>process requirements</i> .
	Requirements are typically sub-classified into \uparrow functional requirements, \uparrow quality requirements and \uparrow constraints. The latter two are also called \uparrow non-functional requirements.
Language	A structured set of signs for expressing and communicating information. Signs are elements that are used for communication: expressions in a language, symbols, gestures, etc.
Maintainability	The ease with which a software ↑system can be modified to correct ↑faults or adapt the system to changing needs.
Ĩ	Maintainability may be stated as a \uparrow quality requirement.

Ó



International [®] Requirements Engineering Board

model

	Model	An abstract representation of an existing reality or a reality to be created.
		This definition covers the most frequent case in requirements engineering, but is a bit narrow. More generally speaking, a model is an abstract representation of an existing ↑entity or an entity to be created, where <i>entity</i> denotes any part of reality or any other conceivable set of elements or phenomena, including other models. With respect to a model, the entity is called the <i>original</i> .
		In \uparrow Requirements Engineering, \uparrow requirements can be specified by models.
		Note that \uparrow entity in this definition is used in its general meaning which is <i>different</i> from the one used in \uparrow Entity-relationship models.
	Modeling language	A \uparrow language for expressing \uparrow models of a certain kind. May be textual, graphic, symbolic or some combination thereof.
	Multiplicity	\rightarrow Cardinality
	Non-functional	A ↑quality requirement or a ↑constraint.
	requirement	↑Performance requirements may be regarded as another category of non-functional requirements. In this glossary, performance requirements are considered to be a sub-category of quality requirements.
		Synonym: Extra-functional requirement
	Performance requirement	A ↑requirement describing a performance characteristic (timing, speed, volume, capacity, throughput).
		Is regarded in this glossary as a sub-category of \uparrow quality requirements, but can also be considered as a \uparrow non-functional requirements category of its own.
•	Phrase template	A template for the syntactic structure of a phrase that expresses an individual ↑requirement in natural ↑language.
•	Portability	The ease with which a \uparrow system can be transferred to another platform (while preserving its \uparrow functionality).
		Portability may be stated as a \uparrow quality requirement.
-		



International [®] Requirements Engineering Board

Priority

Priority (of a requirement)	Documents the importance of a ↑requirement in comparison to other requirements according to given criteria.
Process verb	A verb characterizing the required action in a \uparrow requirement written in natural \uparrow language.
Prototype	1. In manufacturing: a piece which is built prior to the start of mass production.
	2. In software engineering: An executable piece of software that implements critical parts of a \uparrow system in advance.
	In \uparrow Requirements Engineering, prototypes are used as a means for requirements \uparrow elicitation and \uparrow validation.
Quality	The degree to which a set of inherent characteristics of an ↑entity fulfills ↑requirements.
	The entity may be a \uparrow system, service, product, \uparrow artifact, process, person, organization, etc. An <i>inherent characteristic</i> is a distinguishing feature of or property of an entity which is inherent to the entity and has not been assigned explicitly.
	This is the notion of quality that is generally used in industry. Note that quality in this definition just means fitness for intended use, as stated in the requirements. This is in contrast to the colloquial notion of quality which is typically connoted with <i>goodness</i> or <i>excellence</i> .
Quality requirement	A \uparrow requirement that pertains to a quality concern that is not covered by \uparrow functional requirements.
Redundancy	Multiple occurrence of the same information or resource.
Release	A \uparrow configuration that has been released for installation and use by \uparrow customers.
Reliability	The capability of a ↑system to maintain a specified level of ↑functionality and ↑performance when used under specified conditions.
	Reliability may be stated as a \uparrow quality requirement.



International [®] Requirements Engineering Board

Requirement

	Requirement	1. A condition or capability needed by a \uparrow user to solve a problem or achieve an objective.
		2. A condition or capability that must be met or possessed by a ↑system or system ↑component to satisfy a contract, standard, specification, or other formally imposed documents.
		3. A documented representation of a condition or capability as in (1) or (2).
		Note: The definition above is the classic one from IEEE Std 610.12 of 1990.
		Alternatively, we also give a more modern definition:
		1. A need perceived by a ↑stakeholder.
		2. A capability or property that a \uparrow system shall have.
		3. A documented representation of a need, capability or property.
	Requirements analysis	1. Analysis of elicited \uparrow requirements in order to understand and document them.
		2. Synonym for \uparrow requirements engineering.
	Requirements baseline	A \uparrow baseline for a set of \uparrow requirements.
	Requirements discovery	\rightarrow Requirements elicitation
	Requirements	A document consisting of a ↑requirements specification.
	document	Frequently used as a synonym for \uparrow requirements specification.
	Requirements elicitation	The process of seeking, capturing and consolidating <i>requirements</i> from available <i>requirements</i> sources. May include the re-construction or creation of requirements.
•		Synonym: Requirements discovery
	Requirements engineer	A person who – in collaboration with ↑stakeholders – elicits, documents, validates, and manages ↑requirements.



International[®] Requirements Engineering Board

Requirements Engineering

Requirements Engineering	A systematic and disciplined approach to the \uparrow specification and management of \uparrow requirements with the following \uparrow goals:
	(1) Knowing the relevant \uparrow requirements, achieving a consensus among the \uparrow stakeholders about these \uparrow requirements, documenting them according to given standards, and managing them systematically,
	(2) Understanding and documenting the \uparrow stakeholders' desires and needs,
	(3) Specifying and managing \uparrow requirements to minimize the risk of delivering a \uparrow system that does not meet the \uparrow stakeholders' desires and needs.
	Abbreviation: RE
	Note: All three goals address important facets of RE: (1) process- orientation, (2) stakeholder focus, and (3) importance of risk and value considerations.
Requirements management	The process of managing existing ↑requirements and requirements related ↑artifacts. Includes particularly storing, changing and tracing of requirements (↑traceability).
Requirements model	A \uparrow model that has been created with the purpose of specifying \uparrow requirements.
Requirements source	The source from which a \uparrow requirement has been derived. Typical sources are \uparrow stakeholders, documents, existing \uparrow systems and observations.
Requirements specification	A systematically represented collection of \uparrow requirements, typically for a \uparrow system or \uparrow component, that satisfies given criteria.
	In some situations we distinguish between a \uparrow customer requirements specification (typically written by the customer) and a \uparrow system requirements specification or \uparrow software requirements specification (written by the supplier).
•	Requirements specification may also denote the activity of specifying requirements.



International[®] Requirements Engineering Board

Requirements template

Requirements	A blueprint for the syntactic structure of individual \uparrow requirements.
template	A \uparrow phrase template is a specific requirements template for requirements written in natural \uparrow language.
Review	A formally organized endeavor for checking an ↑artifact by a group of experts.
	Checking may be performed with respect to both contents and conformance.
Risk	An event that threatens the success of an endeavor, e.g., of developing or operating a ↑system. A risk is typically assessed in terms of its probability and potential damage.
Safety	The capability of a ↑system to achieve an acceptable level of probability that operating the system will not result in harming people, property or the environment.
	Safety requirements may be stated as \uparrow quality requirements or in terms of \uparrow functional requirements.
Scenario	1. A description of a potential sequence of events that lead to a desired (or unwanted) result.
	2. An ordered sequence of interactions between partners, in particular between a \uparrow system and external \uparrow actors. May be a concrete sequence (instance scenario) or a set of potential sequences (type scenario, \uparrow use case).
	3. In UML: An execution trace of a \uparrow use case.
Scope (of a system)	The range of things that can be shaped and designed when developing a \uparrow system.
Security	The capability of a \uparrow system to protect (a) its data and resources against unauthorized use and (b) its legitimate \uparrow users against denial of service.
Semantics	The meaning of a sign or a set of signs in a ↑language.



International [®] Requirements Engineering Board

Semi-formal

Semi-formal	Something which is formal to some extent, but not completely.
	An ↑artifact is called semi-formal if it contains formal parts, but isn't formalized totally. Typically, a semi-formal artifact has a defined ↑syntax, while the ↑semantics is partially defined only.
Sequence diagram	A diagram type in \uparrow UML which models the interactions between a selected set of objects and/or \uparrow actors in the sequential order that those interactions occur.
Software requirements specification	A \uparrow requirements specification pertaining to a software system. Abbreviation: SRS
Source (of a requirement)	→ Requirements source
Specification	A systematically represented description of the properties of an ↑entity (a system, a device, etc.) that satisfies given criteria.
	It may be about required properties (↑requirements specification) or implemented properties (e.g., a technical product specification).
Specification language	An artificial ↑language that has been created for expressing specifications.
Stakeholder	A person or organization that has a (direct or indirect) influence on a ↑system's ↑requirements.
	Indirect influence also includes situations where a person or or organization is impacted by the system.
Standard	A uniform regulation for perceiving, manufacturing or executing something.
State machine	A ↑model describing the behavior of a system or ↑component by a finite set of states and state transitions. State transitions are triggered by events and can in turn trigger actions and new events.
	Related terms: A state machine with atomic states is called a <i>finite state automaton</i> . State machines having states that are hierarchically and/or orthogonally decomposed are called <i>statecharts</i> .



State-transition diagram

State-transition diagram	A diagrammatic representation of a \uparrow state machine.
Statechart	A ↑state machine having states that are hierarchically and/or orthogonally decomposed.
Steering committee	A committee that supervises a project.
Structured Analysis	An approach for specifying the \uparrow functionality of a system based on a hierarchy of \uparrow dataflow diagrams. Data flows as well as persistent data are defined in a data dictionary. A \uparrow context diagram models the sources of incoming and the destinations of outgoing data flows.
Supplier	A person or organization who delivers a product or service to a ↑customer.
Synonym	A word having the same meaning as another word.
Syntax	The rules for constructing structured signs in a \uparrow language.
System	1. In general: A principle for ordering and structuring.
	2. In Informatics: A coherent, delimitable set of <i>\components</i> that – by coordinated action – provides services.
	↑Requirements Engineering is concerned with the ↑specification of ↑requirements for systems consisting of software ↑components, technical elements (computing hardware, devices, sensors,) and organizational elements (persons, positions, business processes,).
	Note that a ↑system may comprise other systems. Therefore, ↑components or services of a system are also considered to be systems.
System	The boundary between a \uparrow system and its surrounding \uparrow context.
boundary	The system boundary separates the \uparrow system to be developed from its environment; i.e., it separates the part of the reality that can be modified or altered by the development process from aspects of the environment that cannot be changed or modified by the development process.

®



International [®] Requirements Engineering Board

System context

System context	The part of a \uparrow system's environment that is relevant for the definition as well as the understanding of the \uparrow requirements of a \uparrow system to be developed.
System requirement	A \uparrow requirement pertaining to a \uparrow system or to a \uparrow component of a system.
System require-	A \uparrow requirements specification pertaining to a \uparrow system.
ments specification	Frequently considered to be a synonym for \uparrow requirements specification.
Tool (in software engineering)	A (software) \uparrow system that helps develop, operate and maintain \uparrow systems.
	In RE, tools support \uparrow requirements management as well as modeling, documenting, and validating \uparrow requirements.
Traceability (of requirements)	The ability to trace a \uparrow requirement (1) back to its origins, (2) forward to its implementation in design and code, (3) to requirements it depends on (and vice-versa). Origins may be \uparrow stakeholders, documents, rationale, etc.
	Traceability of a requirement back to its origin is also called <i>pre-RS traceability</i> . Conversely, traceability of a requirement forward to its implementation in design and code is also called <i>post-RS traceability</i> . RS stands for requirements specification.
	Sometimes, traceability to the rationale of a requirement is considered to be a traceability category of its own.
UML	Abbreviation for Unified Modeling Language, a standardized language for modeling problems or solutions.
Unambiguity (of requirements)	The degree to which a ↑requirement is expressed such that it cannot be understood differently by different people.
Usability	The capability of a system to be understood, learned, used, and liked by its \uparrow users.
	Usability (or parts thereof) may be stated as \uparrow quality requirements.



International [®] Requirements Engineering Board

Use case

Use case	A description of the interactions possible between \uparrow actors and a \uparrow system that, when executed, provide added value.
	Use cases specify a \uparrow system from a \uparrow user's (or other external \uparrow actor's) perspective: every use case describes some functionality that the system must provide for the \uparrow actors involved in the use case.
Use case diagram	A diagram type in UML that models the \uparrow actors and the \uparrow use cases of a \uparrow system.
	The boundary between the actors and the use cases constitutes the \uparrow system boundary.
User	A person who uses the \uparrow functionality provided by a \uparrow system. Also called <i>end user</i> .
Validation (of requirements)	The process of checking whether documented \uparrow requirements match the \uparrow stakeholders' needs.
	Note that some sources define requirements validation broader by also including \uparrow checking requirements for qualities such as \uparrow unambiguity or comprehensibility, thus considering the terms <i>validation</i> and \uparrow <i>checking</i> to be \uparrow synonyms.
Verifiability (of requirements)	The degree to which the fulfillment of a ↑requirement by an implemented ↑system can be checked, e.g., by defining ↑acceptance test cases, measurements or inspection procedures.
Version (of an entity)	If an \uparrow entity exists in multiple, time-ordered occurrences, where each occurrence has been created by modifying one of its predecessors, every occurrence is a <i>version</i> of that entity.
View	An excerpt from an \uparrow artifact, containing only those parts one is currently interested in.
)	A view can abstract or aggregate parts of the artifact.



International [®] Requirements Engineering Board

Viewpoint

Viewpoint	A certain perspective on the \uparrow requirements of a \uparrow system.
	Typical viewpoints are perspectives that a \uparrow stakeholder or stakeholder group has (for example, an end user's perspective or an operator's perspective). However, there can also be topical viewpoints such as a security viewpoint.
	Note that this definition is somewhat different from the definition of an architectural viewpoint in the international standard ISO/IEC42010: 2007 (IEEE Std 1471-2000).
Walkthrough	A kind of \uparrow review where the author of an \uparrow artifact under review walks a group of experts systematically through the artifact. The experts' findings are then collected and consolidated.

List of Abbreviations

CCB Change Control Board **CPRE Certified Professional for Requirements Engineering** ER **Entity-Relationship** Entity-Relationship Diagram ERD **Entity-Relationship Model** ERM **International Requirements Engineering Board** IREB RE **Requirements Engineering** SRS Software Requirements Specification UML **Unified Modeling Language**



International[®] Requirements Engineering Board

English–French Dictionary

Acceptance	Acceptation
Acceptance test	Tests d'acceptation
Activity diagram	Diagramme d'activité
Actor	Acteur
Adequacy (of a requirement)	Adéquation (d'une exigence)
Application domain	Domaine d'application
Artifact	Artefact
Attribute	Attribut
Baseline	Configuration de référence
Behavior model	Modèle comportemental
Bug	Bug, bogue
Cardinality	Cardinalité
Change control board	Comité de contrôle des changements
Change request	Demande de changement
Changeability (of an artifact)	Changeabilité (d'un artefact)
Checking (requirements)	Vérification (d'exigences)
Class	Classe
Class diagram	Diagramme de classes
Class model	Modèle de classes
Completeness (of requirements)	Complétude (des exigences)
Compliance	Conformité
Component	Composant
Configuration	Configuration
Conformity (of requirements)	Conformité (des exigences)
Consistency (of requirements)	Cohérence (des exigences)
Constraint	Contrainte
Context	Contexte
Context boundary	Limites du contexte



International [®] Requirements Engineering Board

Context modelModèle de contexteCorrectinessCorrectionCustomerClientCustomer requirements specificationCahier des charges clientDataflow diagramDiagramme de flux de donnéesDecision tableTable de décisionDefectDéfautDomainDomaineEffectivenessEfficienceEfficiencyEfficaitéEnd userElucidation des exigencesEntityEntitéEntity-relationship modelDiagramme entité-relationFaultScareaux pannesFaultCaractéristique, featureFault ToleranceCaractéristique, featureFunctional requirementExigence fonctionnelleFonctionalityGlossaireGoal modelButHomonymModèle de butsInspectionSinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirementFunctionalitySinequirement	Context diagram	Diagramme de contexte
CustomerClientCustomer requirements specificationCahier des charges clientDataflow diagramDiagramme de flux de donnéesDecision tableTable de décisionDefectDéfautDomaineEfficienceEffectivenessEfficienceEfficiencyEfficacitéElicitation (of requirements)Elucidation des exigencesEntityEntitéEntity-relationship diagramDiagramme entité-relationErrorErreurFaultFaute, panneFaultCaractéristique, featureFeatureCaractéristique, featureFonctional requirementExigence fonctionnelleFonctional requirementBosaireGoalModèle de butsHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceIanguageLangageMaintainabilityMainteinabilitý	C	-
Customer requirements specificationCahier des charges clientDataflow diagramDiagramme de flux de donnéesDecision tableTable de décisionDefectDéfautDomainDomaineEffectivenessEfficienceEfficiencyEfficacitéElicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceCaractéristique, featureFunctional requirementExigence fonctionnelleFonctionalityGlossaireGoalButGoal modelModèle de butsHomonymInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Correctness	Correction
Dataflow diagramDiagramme de flux de donnéesDecision tableTable de décisionDefectDéfautDomainDomaineEffectivenessEfficienceEfficiencyEfficacitéElicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationErrorErreurFaultSauce aux pannesFault ToleranceCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityGlossaireGoal modelButHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLanguageMaintainabilityMaintenabilité	Customer	Client
Decision tableTable de décisionDefectDéfautDomainDomaineEffectivenessEfficienceEfficiencyEfficaitéElicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationErrorErreurFaultFaute, panneFaultCaractéristique, featureFault ToleranceClossaireFunctionalityGlossaireGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Customer requirements specification	Cahier des charges client
DefectDéfautDomainDomaineEffectivenessEfficienceEfficiencyEfficanceElicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Dataflow diagram	Diagramme de flux de données
DomainDomaineEffectivenessEfficienceEfficiencyEfficiactiéElicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityGlossaireGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Decision table	Table de décision
EffectivenessEfficienceEfficiencyEfficacitéElicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityGlossaireGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Defect	Défaut
EfficiencyEfficacitéElicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityGlossaireGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Domain	Domaine
Elicitation (of requirements)Elucidation des exigencesEnd userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationEnrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityFonctionnalitéGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Effectiveness	Efficience
End userUtilisateur finalEntityEntitéEntity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceCaractéristique, featureFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleGlossaryGlossaireGoal modelButHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Efficiency	Efficacité
EntityEntitéEntity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityFonctionnalitéGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Elicitation (of requirements)	Elucidation des exigences
Entity-relationship diagramDiagramme entité-relationEntity-relationship modelModèle entité-relationErrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleGoalButGoal modelButHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilitý	End user	Utilisateur final
Entity-relationship modelModèle entité-relationEnrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityGlossaireGoalButGoal modelModèle de butsHomonymInspectionInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilitý	Entity	Entité
FrorErreurFaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityFonctionnalitéGoalGlossaryGoal modelModèle de butsHomonymInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilitý	Entity-relationship diagram	Diagramme entité-relation
FaultFaute, panneFault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityFonctionnalitéGlossaryGlossaireGoalButGoal modelModèle de butsHomonymInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Entity-relationship model	Modèle entité-relation
Fault ToleranceTolérance aux pannesFeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityFonctionnalitéGlossaryGlossaireGoalButGoal modelModèle de butsHomonymInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Error	Erreur
FeatureCaractéristique, featureFunctional requirementExigence fonctionnelleFunctionalityFonctionnalitéGlossaryGlossaireGoalButGoal modelModèle de butsHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Fault	Faute, panne
Functional requirementExigence fonctionnelleFunctionalityFonctionnalitéGlossaryGlossaireGoalButGoal modelModèle de butsHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Fault Tolerance	Tolérance aux pannes
FunctionalityFonctionnalitéFunctionalityFonctionnalitéGlossaryGlossaireGoalButGoal modelModèle de butsHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Feature	Caractéristique, feature
GlossaryGlossaireGoalButGoal modelModèle de butsHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Functional requirement	Exigence fonctionnelle
GoalButGoal modelModèle de butsHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLanguageMaintainabilityMaintenabilitý	Functionality	Fonctionnalité
Goal modelModèle de butsHomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Glossary	Glossaire
HomonymHomonymeInspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Goal	But
InspectionInspectionKind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Goal model	Modèle de buts
Kind of requirementCatégorie d'exigenceLanguageLangageMaintainabilityMaintenabilité	Homonym	Homonyme
LanguageLangageMaintainabilityMaintenabilité	Inspection	Inspection
Maintainability Maintenabilité	Kind of requirement	Catégorie d'exigence
-	Language	Langage
Model Modèle	Maintainability	Maintenabilité
	Model	Modèle



International [®] Requirements Engineering Board

Modeling language Multiplicity Non-functional requirement Performance requirement Phrase template Portability Priority (of a requirement) **Process verb** Prototype Quality **Quality requirement** Redundancy Release Reliability Requirement **Requirements analysis Requirements baseline Requirements discovery Requirements document Requirements elicitation Requirements engineer Requirements Engineering Requirements management Requirements model Requirements source Requirements specification Requirements template Review** Risk Safety Scenario **Scope** (of a system)

Langage de modélisation Multiplicité Exigence non fonctionnelle Exigence de performance Gabarit de phrase Portabilité Priorité (d'une exigence) Verbe de processus Prototype Qualité Exigence qualité Redondance Release, version ou livraison Fiabilité Exigence Analyse des exigences Configuration de référence des exigences Découverte des exigences Document des exigences Elucidation des exigences Ingénieur des exigences Ingénierie des exigences Gestion des exigences Modèle d'exigences Source d'exigences Spécification des exigences Gabarit d'exigences Revue Risque Sûreté Scénario Portée (d'un système)



International [®] Requirements Engineering Board

Security	Sécurité
Semantics	Sémantique
Semi-formal	Semi-formel
Sequence diagram	Diagramme de séquence
Software requirements specification	Spécifications des exigences du logiciel
Source (of a requirement)	Source (d'une exigence)
Specification	Spécification
Specification language	Langage de spécification
Stakeholder	Partie prenante
Standard	Standard, norme
State machine	Machine à états
State-transition diagram	Diagramme de transition d'états
Statechart	Statechart, diagramme d'états
Steering committee	Comité de direction
Structured Analysis	Analyse structurée
Supplier	Fournisseur
Synonym	Synonyme
Syntax	Syntaxe
System	Système
System boundary	Périmètre du système
System context	Contexte du système
System requirement	Exigences du système
System requirements specification	Spécifications des exigences du système
Tool (in software engineering)	Outil (en génie logiciel)
Traceability (of requirements)	Traçabilité (des exigences)
UML	UML
Unambiguity (of requirements)	Non-ambigüité (des exigences)
Usability	Utilisabilité
Use case	Cas d'utilisation
Use case diagram	Diagramme de cas d'utilisation
User	Utilisateur
Validation (of requirements)	Validation (des exigences)



International[®] Requirements Engineering Board

Verifiability (of requirements) Version (of an entity) View Viewpoint Walkthrough Vérifiabilité (des exigences) Version (d'une entité) Vue Point de vue Revue de type "walkthrough"





International[®] Requirements Engineering Board

French–English Dictionary / Dictionnaire Français–Anglais

Acceptation	Acceptance
Acteur	Actor
Adéquation (d'une exigence)	Adequacy (of a requirement)
Analyse des exigences	Requirements analysis
Analyse structurée	Structured Analysis
Artefact	Artifact
Attribut	Attribute
Bug, bogue	Bug
But	Goal
Cahier des charges client	Customer requirements specification
Caractéristique, feature	Feature
Cardinalité	Cardinality
Cas d'utilisation	Use case
Catégorie d'exigence	Kind of requirement
Changeabilité (d'un artefact)	Changeability (of an artifact)
Classe	Class
Client	Customer
Cohérence (des exigences)	Consistency (of requirements)
Comité de contrôle des changements	Change control board
Comité de direction	Steering committee
Complétude (des exigences)	Completeness (of requirements)
Composant	Component
Configuration	Configuration
Configuration de référence	Baseline
Configuration de référence des exigences	Requirements baseline
Conformité	Compliance
Conformité (des exigences)	Conformity (of requirements)
Contexte	Context



International[®] Requirements Engineering Board

Contrainte	Constraint
Correction	Correctness
Découverte des exigences	Requirements discovery
Défaut	Defect
Demande de changement	Change request
Diagramme d'activité	Activity diagram
Diagramme de cas d'utilisation	Use case diagram
Diagramme de classes	Class diagram
Diagramme de contexte	Context diagram
Diagramme de flux de données	Dataflow diagram
Diagramme de séquence	Sequence diagram
Diagramme de transition d'états	State-transition diagram
Diagramme entité-relation	Entity-relationship diagram
Document des exigences	Requirements document
Domaine	Domain
Domaine d'application	Application domain
Efficacité	Efficiency
Efficience	Effectiveness
Elucidation des exigences	Elicitation (of requirements)
Elucidation des exigences	Requirements elicitation
Entité	Entity
Erreur	Error
Exigence	Requirement
Exigence de performance	Performance requirement
Exigence fonctionnelle	Functional requirement
Exigence non fonctionnelle	Non-functional requirement
Exigence qualité	Quality requirement
Exigences du système	System requirement
Faute, panne	Fault
Fiabilité	Reliability
Fonctionnalité	Functionality
Fournisseur	Supplier



International [®] Requirements Engineering Board

Gabarit de phrase **Gabarit d'exigences** Gestion des exigences Glossaire Homonyme Ingénierie des exigences Ingénieur des exigences Inspection Langage Langage de modélisation Langage de spécification Limites du contexte Machine à états Maintenabilité Modèle Modèle comportemental Modèle de buts Modèle de classes Modèle de contexte Modèle d'exigences Modèle entité-relation Multiplicité Non-ambigüité (des exigences) **Outil (en génie logiciel) Partie prenante** Périmètre du système Point de vue Portabilité Portée (d'un système) **Priorité (d'une exigence)** Prototype Qualité

Phrase template **Requirements** template **Requirements management** Glossary Homonym **Requirements Engineering Requirements engineer** Inspection Language Modeling language Specification language **Context boundary** State machine Maintainability Model Behavior model Goal model Class model Context model **Requirements model** Entity-relationship model Multiplicity Unambiguity (of requirements) Tool (in software engineering) Stakeholder System boundary Viewpoint Portability Scope (of a system) Priority (of a requirement) Prototype Quality



International [®] Requirements Engineering Board

Redondance	Redundancy
Release, version ou livraison	Release
Revue	Review
Revue de type "walkthrough"	Walkthrough
Risque	Risk
Scénario	Scenario
Sécurité	Security
Sémantique	Semantics
Semi-formel	Semi-formal
Source (d'une exigence)	Source (of a requirement)
Source d'exigences	Requirements source
Spécification	Specification
Spécification des exigences	Requirements specification
Spécifications des exigences du logiciel	Software requirements specification
Spécifications des exigences du	System requirements specification
système	
Standard, norme	Standard
•	Standard Statechart
Standard, norme	
Standard, norme Statechart, diagramme d'états	Statechart
Standard, norme Statechart, diagramme d'états Sûreté	Statechart Safety
Standard, norme Statechart, diagramme d'états Sûreté Synonyme	Statechart Safety Synonym
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe	Statechart Safety Synonym Syntax
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système	Statechart Safety Synonym Syntax System
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision	Statechart Safety Synonym Syntax System Decision table
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision Tests d'acceptation	Statechart Safety Synonym Syntax System Decision table Acceptance test
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision Tests d'acceptation Tolérance aux pannes	Statechart Safety Synonym Syntax System Decision table Acceptance test Fault Tolerance
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision Tests d'acceptation Tolérance aux pannes Traçabilité (des exigences)	Statechart Safety Synonym Syntax System Decision table Acceptance test Fault Tolerance Traceability (of requirements)
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision Tests d'acceptation Tolérance aux pannes Traçabilité (des exigences) UML	Statechart Safety Synonym Syntax System Decision table Acceptance test Fault Tolerance Traceability (of requirements) UML
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision Tests d'acceptation Tolérance aux pannes Traçabilité (des exigences) UML Utilisabilité	Statechart Safety Synonym Syntax System Decision table Acceptance test Fault Tolerance Traceability (of requirements) UML Usability
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision Tests d'acceptation Tolérance aux pannes Traçabilité (des exigences) UML Utilisabilité	Statechart Safety Synonym Syntax System Decision table Acceptance test Fault Tolerance Traceability (of requirements) UML Usability User
Standard, norme Statechart, diagramme d'états Sûreté Synonyme Syntaxe Système Table de décision Tests d'acceptation Tolérance aux pannes Traçabilité (des exigences) UML Utilisabilité Utilisateur Utilisateur final	Statechart Safety Synonym Syntax System Decision table Acceptance test Fault Tolerance Traceability (of requirements) UML Usability User End user



International[®] Requirements Engineering Board

Vérifiabilité (des exigences) Vérification (d'exigences) Version (d'une entité) Vue Verifiability (of requirements) Checking (requirements) Version (of an entity) View



International [®] Requirements Engineering Board

Sources

As mentioned in the preface, I don't cite sources for individual definitions because I deliberately decided not to compile definitions from various existing sources just by copy-paste, but to carefully re-formulate all definitions consistently and according to today's use. Nevertheless, I want to give credit for some definitions that have been taken verbatim from a source or that are joint work with others. The copyright for cited definitions lies with the authors of the cited work. The copyright for joint work lies jointly with the author of this glossary and the persons mentioned.

Term	Reference
Constraint	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer, based on definitions in my course notes on Requirements Engineering I
Context boundary	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer
Functional requirement	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer
Model	Base definition taken from [Pohl and Rupp 2011]
Quality requirement	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer, based on definitions in my course notes on Requirements Engineering I
Requirement	First part of definition taken from IEEE Std 610.12- 1990
Requirements Engineering	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer
Requirements specification	Base definition taken from [Pohl and Rupp 2011]
Requirements template	Base definition taken from [Pohl and Rupp 2011]
Stakeholder	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer
System boundary	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer
System context	Joint work with Klaus Pohl, Chris Rupp, and Thorsten Weyer



International [®] Requirements Engineering Board

References

Gause, D.C., G.M. Weinberg (1989). *Exploring Requirements: Quality before Design.* New York: Dorset House.

Glinz, M. (2010). Course notes on *Informatik II (Modeling), Requirements Engineering I*, and *Software Engineering*. http://www.ifi.uzh.ch/rerg/teaching/

Glinz, M. (2007). On Non-Functional Requirements. *Proceedings of the 15th IEEE International Requirements Engineering Conference*, Delhi, India. 21-26.

Glinz, M., R. Wieringa (2007). Stakeholders in Requirements Engineering (Guest Editors' Introduction). *IEEE Software* **24**, 2. 18-20.

Gotel, O., A. Finkelstein (1994). An Analysis of the Requirements Traceability Problem, *Proceedings of the First International Conference on Requirements Engineering*, Colorado Springs. 94-101.

IEEE (1990). Standard Glossary of Software Engineering Terminology. IEEE Std 610.12-1990.

IEEE (1993). *IEEE Recommended Practice for Software Requirements Specifications*. IEEE Standard 830-1993.

IREB (2010). *Certified Professional for Requirements Engineering Foundation Level Syllabus*, Version 2.1. http://www.certified-re.de/en/syllabi/foundation-level.html

ISO/IEC (2001). *Software Engineering—Product Quality—Part 1: Quality Model*. ISO/IEC Standard 9126-1:2001, International Organization for Standardization.

ISO/IEC (2007). Systems and Software Engineering — Recommended Practice for Architectural Description of Software-Intensive Systems. ISO/IEC Standard 42010: 2007 (equal to IEEE Std 1471-2000) International Organization for Standardization.

ISO (2005). *Quality Management Systems—Fundamentals and Vocabulary*. ISO Standard 9000:2005, International Organization for Standardization.

Mylopoulos, J. (2006). *Goal-Oriented Requirements Engineering: Part II.* Presentation slides of keynote talk at the 14th IEEE International Requirements Engineering Conference (RE'06), Minneapolis, USA.

Pohl, K. (2007). *Requirements Engineering: Grundlagen, Prinzipien, Techniken*. Heidelberg: dpunkt.

Pohl, K. (2010). *Requirements Engineering: Fundamentals, Principles, and Techniques*. Berlin-Heidelberg: Springer.

Pohl, K., Rupp, C. (2010). *Basiswissen Requirements Engineering.* 2. Auflage. Heidelberg: dpunkt.

Pohl, K., Rupp, C. (2011). *Requirements Engineering Fundamentals*. Santa Barbara, Ca.: RockyNook.

Robertson, S., Robertson, J. (2006). *Mastering the Requirements Process*. 2nd edition, Addison-Wesley.



Rupp, C. et al. (2009). *Requirements Engineering und –Management: Professionelle, iterative Anforderungsanalyse für die Praxis.* 5. Auflage. München: Hanser.

Stachowiak, H. (1973). *Allgemeine Modelltheorie.* Wien: Springer.

Wikipedia. http://de.wikipedia.org und http://en.wikipedia.org. Visited Jan-Mar 2010.

Zowghi, D., C. Coulin (2005). Requirements Elicitation: A Survey of Techniques, Approaches, and Tools. In A. Aurum, C. Wohlin: *Engineering and Managing Software Requirements*. Berlin: Springer. 19-46.

